



VESTA ELECTROCONTROL

(ISO 9001:2015 CERTIFIED)

Plot No. 182/23 Industrial Area, Phase 1, Chandigarh 160002

Mobile No. +9041188304

Email: vesta.shubham@gmail.com, vestaelectrocontrol@gmail.com

Website: www.vestaelectrocontrol.com

A COMPLETE RANGE OF INDUSTRIAL AUTOMATION PRODUCTS

Vesta Electrocontrol, founded in 2015, is a leading company in the Industrial Automation sector, dedicated to serving manufacturing industries. Our committed teams in Research & Development, manufacturing, and servicing ensure that we meet the evolving needs of our clients.

We specialize in delivering high-quality Industrial Automation Panels, complete with all necessary materials and programming. With manufacturing units located in Chandigarh and Derabassi, we maintain superior quality standards and provide reliable services across India.

At Vesta Electrocontrol, we prioritize building strong market relationships to enhance the customer experience. Our sales division offers a comprehensive range of industrial automation products at competitive prices, supported by a dependable delivery system.



DEALS IN

WELDON

INVT

CHINT

JG JIGO
POWER TO PERFORM

MW
MEAN WELL

UDIAN
宇 迪 安

SELEC
Creating Best Value

WAGO

ABB

Airon

SUBZERO

SIEMENS

Schneider
Electric

INDUSTRIAL FIELD INSTRUMENTS

BAUMER



- * PRESSURE GAUGES
- * AUTOCLAVE SENSORS
- * TEMPERATURE GAUGES
- * PRESSURE TRANSMITTERS
- * INDUSTRIAL RANGE SENSORS
- * TEMPERATURE TRANSMITTERS
- * ROTARY ENCODERS
- * DISTANCE SENSORS

GEMS



- * LEVEL SENSORS
- * PRESSURE TRANSMITTERS
- * FLOW SENSORS
- * TEMPERATURE SWITCHES
- * TEMPERATURE SENSORS
- * RELAYS
- * BARRIERS
- * ULTRASONIC SENSORS

DARKSDALE



- * MECHANICAL PRESSURE SWITCHES
- * THIN FILM PRESSURE SENSOR
- * SPEED SENSORS
- * PRESSURE TRANSMITTERS
- * LEVEL SENSORS

GEFRAN



- * POSITION SENSORS
- * STRAIN AND FORCE SENSORS
- * TEMPERATURE SENSORS
- * PRESSURE SENSORS
- * AC DRIVES
- * SSR WITH HEATSINK
- * SERVO DRIVES AND MOTORS
- * UNIVERSAL PROCESS INDICATORS

METAL & PLASTIC ENCLOSURES



**Box Sizes
(READY TO USE)**

200x300x150

200X200X100

300x300x180

400x300x200

500x300x250

600x500x300

CUSTOMISED MS & PLASTIC PANEL BOXES

MAKE - VEC, GRASP,

Also provide customize Panel size

READY TO USE PANEL

WIRES (LAPP WIRES) (FINOLEX)



WIRE SIZE RANGE:

*** 0.25 - 120SQMM**

*** MULTICORE WIRES**

*** FR CABLES**

*** SHIELDED WIRES**

*** ENCODER CABLES**

*** SENSOR CABLES**

*** LAN WIRES**

PANEL ACCESSORIES

INDICATOR



PUSH BUTTON



SELECTOR SWITCH



PVC/DIN RAIL



NO/NC ELEMENT



PANEL BOX



LABELS



THIMBLE



WIRES



FAN FILTER



BUZZER




EMERGENCY PUSH BUTTON



ROTARY



TERMINAL BLOCK



RELAY CARD



PG GLAND



CRIMPING



MONITORING/ PROTECTION RELAY



- * LINE MONITORING RELAY
- * VOLTAGE MONITORING RELAY
- * CURRENT MONITORING RELAY
- * EARTH LEAKAGE
- * EARTH FAULT RELAY
- * MOTOR PROTECTION RELAY
- * PUMP PROTECTION RELAY

AUTOMATION



- * TWIX SERIES PLC
- * MIBRX SERIES PLC
 - * HMI (3.5,4.3,7,10")
- * AC DRIVES (220V,440V)
- * RELAY CARD (4CH,8CH)
- * UNIX SERIES PLC
- * FLEXYS SERIES

TEMPERATUR E & PROCESS



- * TEMPERATURE CONTROLLER
- * SOLID STATE RELAY
- * COOLING CONTROLLER
- * PROCESS INDICATORS
- * PROFILE CONTROLLER
- * HUMIDITY CONTROLLER
- * LOAD CELL CONTROLLER
- * TIMERS / COUNTERS

YUDIAN (Process Automation)

- * TEMPERATURE TRANSDUCER (R\$485)
- * TEMPERATURE CONTROLLERS
- * LOAD CELL CONTROLLER
- * HUMIDITY CONTROLLER
- * MULTI CHANNEL INDICATORS & SCANNERS



SUB-ZERO

- * VAF METERS
- * MULTIFUNCTION METERS (R\$485)
- * TEMPERATURE CONTROLLER
- * HUMIDITY CONTROLLER
- * COOLING CONTROLLER
- * HMI, PLC (RESISTIVE/CAPACITIVE)2



FEATURE

- * FLAT AND THIN SURFACE
- * BRIGHT WHITE LED
- * LARGE LED'S
- * ICONIC DISPLAY
- * PRO-KEY FUNCTION
- * RS485 COMMUNICATION

SPECIFICATION

- * 3DIGIT ,4DIGIT SINGLE LINE
- * 230V AC TRANSFORMER BASED POWER SUPPLY
- * UNIVERSAL INPUT

SCHNEIDER



- * CONTACTOR
- * SERVO DRIVE
- * MCCB
- * MCB
- * MPCB
- * RCCB

- * OLR
- * VFD
- * HMI
- * PLC

SIEMENS



- * PLC
- * HMI
- * MCB
- * CONTACTOR
- * MCCB
- * MPCB
- * SERVO DRIVES
- * VFD
- * OLR
- * ACB

WECON

PLC



- * LX3V,LX3VP
- * 14D1/12D0
- * LX5V,LX3VP
- * 16D1/16D0
- * 08D | /06D0
- * 18D1/14D0
- * 12D1/08D0
- * 24D1/16D0

HMI



- * PI/IOT SERIES
- * 7INC
- * 3.5INCH
- * 10INCH
- * 4.3INCH
- * 15INCH
- (IOT ENABLED HMI'S)

SERVO DRIVE



- * VD2 SERIES
- * 400W
- * 750W
- * 1KW
- * 1.5KW
- * 2.3KW
- (WITH AND WITHOUT BRAKE)

V-BOX



- * H SERIES
- * WIFI MODEL
- * SIM MODEL
- * ETHERNET
- (DINRAIL MOUNTING)

EXPANSION MODULE



- * 8/16 DIGITAL INPUT
- * 8/16 DIGITAL OUTPUT
- * 4 ANALOG INPUT
- * 4 ANALOG OUTPUT
- * 4 THERMOCOUPLE I/P
- * 4 LOAD CELL I/P

PLC FEATURE



- * TYPE B CABLE FOR PROGRAMMING
- * EASY PROGRAMMING
- * FAST SCAN
- * HIGH SPEED PULSE INPUT/OUTPUT
- * SUPPORT THE HIGHEST BOUND RATE

SERVO DRIVE FEATURES:

- HIGH RESPONSE • EASY TO DEBUG • STRONG PROTECTION • SUPPORT INTERNAL MULTISPEED INSTRUCTION • SUPPORT INTERNAL MULTI-SEGMENT POSITION INSTRUCTION

BD BORAD



- * 2CH ANALOG IN
- * 2CH ANALOG OUT
- * 2CH THERMOCOUPLE
- * 2CH RTD IN
- (AVAILABLE IN VOLT & AMP.)

HMI FEATURES



- * ALARM NOTIFICATION
- * RECIPES AND USB DATA
- * NETWORK TRANSPORT LAYER INDEPENDENCE
- * DATA LOGGING ON EMAIL

INVT

DEDICATED DRIVE



- * GD-10
- * GD-20
- * GD-100(Solar)
- * GD-200A

MEDIUM VOLT DRIVE



- * GD-5000
- * GD-5000-L-03
- * GD-5000-L-06

ELEVATOR DRIVE



- * GD-300L
- * EC100

SERVO DRIVE



- * DA200 * DA180 * DA300 * DL310
- * DA212

SERVO DRIVE FEATURE:

- * Industry-leading speed response
- * Excellent positioning accuracy
- * High-precision positioning
- * Full closed-loop control, internal position control
- * Rich communication interface

PLC



- * IVC1L * IVC2 * IVC3

PLC FEATURE:

- * MAX. 10 points: 128 standard 3 isolated
- * Serial ports: 1 RS232/2 RS485
- * Program power-off permanent storage
- * Abundant extension modules
- * Support up to 8 special function extension modules;

HMI



- * VS SERIES * VT SERIES * VK SERIES

HMI FEATURE:

- * Carry high performance industrial
- * Improve data processing efficiency greatly
- * Support free port communication protocol
- * The screen shows support for multiple languages
- * Multiple file operation methods, convenient access application data.

SMPS

WIDE SELECTION, RELIABLE PERFORMANCE, REASONABLE PRICE

AC/DC > Enclosed SMPS

SMPS RANGE:

- * 5V
- * 12V
- * 24V
- * 48V



FEATURES:

- * MULTIPLE PROTECTIONS
- * (OUTPUT SHORT CIRCUIT, OVER-CURRENT, OVER TEMPERATURE)
- * TEMPERATURE & ALTITUDE (30 TO +70 C)
- HIGH RELIABILITY (ISOLATED UP TO 4000VAC, LOW RIPPLE & NOISE)
- OPTIONAL INPUT RANGE (Universal Input Voltage of Single Phase 115VAC & 230VAC 50/60hz)
- HIGH EFFICIENCY
- COMPLETE CERTIFICATION